
REPLACEMENT PARTS LIST.



PART II.

List of Spare and Replacement Parts for the 3 h.p. Royal Enfield.

Owing to the present high cost of materials, no prices are given for the Spare Parts in this List.

Our terms are STRICTLY NET CASH WITH ORDER, or cash on receipt of PRO-FORMA INVOICE. Repairs and Sundries items cannot be booked. Prices do not include cost of carriage or postage.

Any part or complete motor cycle sent for repair should be consigned CARRIAGE PAID and the sender's name and address should be given in full on the address tally. Parts sent to us carriage forward are liable to be refused, and to lie with the Carriers at sender's risk and expense.

Full instructions regarding the necessary repairs to be done, with advice as to the mode of despatch of the machine (or part), should be posted the same day.

When forwarding motor cycles for repair it is advisable to remove all accessories and easily detached fittings, such as lamp, horn, tool-bags, etc. Besides facilitating the work of repair, it will also prevent any loss during transit.

Order all parts by the name of the article and the NUMBER GIVEN IN THE FIRST COLUMN, also state the number of the engine or machine for which they are intended. The engine number will be found stamped on the crank case and the machine number on the lug where the seat pillar enters the frame. It is also NECESSARY to give the date when the machine was purchased and the name of the Agent through whom it was bought.

This edition (the 5th) cancels all previous lists and prices of Spare and Replacement Parts for the 3 h.p. Royal Enfield Model.

GUARANTEE.

We respectfully refer customers to the terms of our guarantee, reprinted from our current catalogue, which appears on page 70 of this book.

OVERHAULING.

When forwarding a complete Motor Cycle, Engine, Carburetter or Magneto, with the request that we overhaul the same, we understand by the term "Overhaul" that it is to be entirely dismantled, thoroughly renovated, any worn parts renewed, and put in perfect working order. In case a customer desires only certain parts attended to, full instructions should be given us to that effect, otherwise the cost may be in excess of that anticipated.

ESTIMATES AND QUOTATIONS.

When customers send complete Motor Cycles or parts thereof to us for repairs, we are always prepared to furnish estimates before proceeding with the necessary work. At the same time, it must be distinctly understood that we can only give approximate quotations. Frequently, when the actual work is in progress, it is found necessary to replace parts other than those specified in the estimate, as we make a practice of including in such estimates only those items and parts which at the time we consider really essential to put the machine (or parts) in a thoroughly satisfactory condition.


If any estimate prepared in this way is not accepted, we reserve the right to make a nominal charge for taking down and re-assembling any parts necessary in preparing it.

We cannot hold ourselves responsible for loss of, or damageto, any parts lying here for repairs, unless instructions to proceed with same are given within twenty-one days of our estimate for the said repairs having been rendered.

All acetylene-welded repairs to crank-cases and other aluminium parts are carried out with extreme care, but we cannot give any guarantee with, or accept responsibility for, any parts so treated.


ENGINE PARTS.

Quote this No. and name of part when ordering.	Description.	Price. £ s. d.
M1	Crank Case, with all bushes fitted	
M2	" (large half)	
M3	,, (small half)	
M4	(large half) with bushes	
M5	,, (small half) ,,	
M6	,, Bush, for M3	
M7	,, ,, for M2	
M8	,, (long) for M2	
M9	,, (exhaust lifter) for M2	
M10	,, (exhaust tappet) ,,	
M11	,, , , (inlet tappet ,,	
M12	,, ,, (exhaust tappet) ,,	
M13	Ball Bearing (small)	
M14	,, (large)	
M15	Crank Case End Cap	
M16	,, screw (each)	
M17	" Cover, studded and bushed	
M18	,, ,, only	
M19	" inlet rocker bush	
M20	,, ,, cam bush	
M21	" exhaust rocker bush	
M22	,, ,, ,, cam bush	
M23	,, ,, pump stud	
M24	,, ,, stud	
M25	,, ,, valve cover	
M26	,, ,, piece	




ENGINE PARTS-continued.

Quote this No. and name of part when ordering.	Description.		Price. £ s. d.
M31	Flywheels and Connecting Rods (assem	bled)	
M32	Flywheel (driving side), with shaft		
M33	,, (timing side)		
M34	" Driving Shaft		
M35	Crank Pin		
M36	Crank Pin and Driving Shaft Nut		
M37	Oil Plug		
M38	Set Screw	F140	
M39		per pair)	
M40	Connecting Rod (plain)		
M41	,, (forked)		
M42	,, Feather	m m	
M43	,, Bush (gudgeon)	100 100	
M44	,, (for plain rod)	***	
M45	,, (for forked rod)		
M46	" Thrust Piece		
M47	,, Woodruff Key		
M48	Crank Case Bolt	N 200	
M49	,, ,,		
M50	" "		
M51	21 21 22 22	***	
M52	, Nut	100	
M53	,, Washer	***	
M54	Gudgeon Locking Screw		
M55	Split Pin		




ENGINE PARTS-continued.

ouote this No. and name of part when ordering.	Description	on				Price.
M61	Front Cylinder, assemble	d with	exhau	ist val	lve,	
	guide, oil tap, etc.				**	
M62	Rear Cylinder, assembled	with e	exhaus	t valv	re,	
2000	guide, etc			***		
M63	Front Cylinder only	***	222	***		
M64	Rear Cylinder only	***	***	***	***	
M65	Valve Guide	***	***		2.5.5	
M66	Exhaust Valve	***	***	***	***	
M67	,, Stop Colla	r	***	***	***	
M68	,, Cotter	111	***	***	***	
M69	Spring	***	***	***		
M70	Inlet Valve	***	***	***	***	
M71	,, Seat	***	***	***		
M72	,, Stop Collar	***	***	***		
M73	" Cotter …	***	***	***		
M74	Spring	2550	***	***	***	
M75	" Seat Washer	***	444	***	***	
M76	Oil Pipe Union for front c	ylinder	***	17.55		
M77	Fibre Washer for union of	r tap		***	***	
M78	Piston, assembled with ring	gs and	gudged	n pin	***	
M79	,, only	***	***	***		
M80	" Ring	***	***	***		
M81	Gudgeon Pin	***	***	***	644	
M82	Centre Clamp	***		***	***	
M83	Side Clamp	2000	141	***	2.00	
M84	Top Stud		***		***	
M85	" Lock Nut	***		***	***	
M86	Bolt for side clamp	***	***	***	***	
M87	Eye Bolt for centre clamp)		***		
M88	" for side clamp	***	***	***		
M89	Nut for clamp	***	***	***		
M90	Washer for clamp	***	***	4.44		
M91	Inlet Dome Set (assemble	d), less	cap,	etc.	***	
M92	" only …	***	***	***	55.5	
M93	" Bell Crank	***	***	***		
M94	,, ,, P	in	***		***	
M95		pring	***		***	
M96	,, ,, S	plit Pir	1		***	
M97	,, Brass Tube			***		
M98	,, Bush		***	***		
M99	,, Lock Ring	***	***	***	***	
M100	" Split Ring	***	***	***		
M101	Screw	4000	111	733	***	
M102	,, Сар	***	***	***		
M103	,, Lubricator	12.55	2.00	4.00	***	
M104	,, Nut	***	***		***	
M105	Oil Tap for front cylinder			***		



ENGINE PARTS-continued.


Quote this No. and name of part when ordering.	Description.					
M111	Inlet Rockers complete (assembled)	***	***			
M112	" Rocker (L.H.)		***			
M113	" " " (R.H.)	***				
M114	Exhaust Rockers complete (assembled)				
M115	Exhaust Rocker (L.H.)					
M116	,, (R.H.)	***	444			
M117	" Bush	***	1000			
M118	Inlet Tappet complete (assembled)		***			
M119	,, only					
M120	" Lock Nut					
M121	" Sleeve Piece		111			
M122	,, Head		***			
M123	Exhaust Tappet complete (assembled)		chorn			
M124	only					
M125	Look Nut as illustent		200000			
M126	Sleave Diego					
M127	Head					
M128	Toppet Per	***				
M129	T. L.	***	***			
M130	E. L. T. C. (I. d.)	77	***			
M131	Continue (assertt)					
	Tiffee (P.H.)	***				
M132	,, Lifter (R.H.)	***	***			
M133	" " " (L.H.)	***	300			
M134	,, ,, Lever (R.H.)	***	***			
M135	,, ,, ,, (L.H.)	***	***			
M136	17 Teeth Pinion	***				
M137	Exhaust Lifter Screw	***				
M138	Timing Wheel (inlet)	***				
M139	,, (exhaust)	***				
M140	Inlet Cam	***				
M141	Exhaust Cam	***				
M142	Oil Filter	.,,	100			
M143	" Plug (crank case)					
M144	Nut for inlet cam	***	2000			
M145	Washer for inlet cam		***			
M146	Woodruff Key for cam					
M147	Woodruff Key		17			
M148	in. Lock Nut	***	1.61			
M149	Frame Stud					



3 H.P. ROYAL ENFIELD THE

INDUCTION PIPE, OIL PUMP, MAGNETO COVER. ETC.


Quote this No. and name of part when ordering.	Description.			-	Price, £ s. d.
M161	Induction Pipe, with unions				
M162	Compression Tap		***	22.0	
M163	", Dome				
M164	,, Washer (coppe	r and	asbestos		
M165	Pump (assembled)				
M166	Rody		111		
M167	Union				
M168	Plunger				
M169	C II	755	***	***	
10 YEAR OLD CO.		***	***	***	
M170	,, Cap	111	***		
M171	,, Screw	***	***		
M172	,, Valve Seat	***	***	***	
M173	" Bottom Plug	***	***	***	
M174	" Hair Spring	***		***	
M175	" Fibre Washer		20.00	223	
M176	,, %in. Balls (per dozen)	***	***		
M177	,, Top Plug	444		***	
M178	Hoir Spring		****		
M179	Eibra Wacher				
M180	Thrust Piece		CO.		
M181	To Dive	***	***	***	
	TXInches	***		***	
M182	TAR AND STORY OF THE STORY OF T	***		***	
M183	" Spring	***	***	1000	
M184	,, <u>l</u> sin. Peg	***	***	***	
M185	,, Post (crank case)	***	***	111	
M186	,, Washer	222		***	
M187	" Paper Washer	***	***		
M188		2.2.2			
M189	22	***	***		
M190			111		
M191	Cover	***		***	
M192	Magneto Drive Case				
M193	Manuata Daire Cover				
M194	Stud (long) Crank Case Cover		***	***	
	(-b	00.000			
M195	,, (short) ,, ,,	1777	***	***	
M196	Magneto Screw for base	***	6.4.9.0	222	
M197	" " " "	3000			
M198	,, (for Bosch Magn	eto on	ly)		
M199	" Sprocket	***	111	***	
M200	,, Drive Cover Bolt	***	***	***	
M201	Tension Wire (long)				
M202	,, (short)	***	****	0.00	
M293	Clip for pressed cover		***		
M204	Pressed Cover		****		
M205	lin. Nut	***			1
M206	lin Washer		- 0.000		
		555	555	***	
M207	Engine Sprocket Magneto Driving Chain, in. by	lin	***	100	19
	Magneto Driving Chain, in. by	gin.	0.0.0		
M208 M209	Stud for cover		***		



THE 3 H.P. ROYAL ENFIELD


KICK STARTER, GEAR HANDLE OPERATING SET, ETC.

Quote this No. and name of part when ordering.	Description.	Price. € s. d.
M211	Tie Rod (assembled)	
M212	only	
M213	Fork Piece	
M214	Dound Nut	
M215	C	
M216	,, lin. Nut	
M217	Bottom Stud	
M218	Lock Nut	
M219	§in. Nut (thick)	
M220	,, (thin)	
M221	Kick-starter Eccentric	
M222	5 in. Washer	
M223	Eccentric Lock Nut	
M224	38 Teeth Chain Wheel and Crank Set, complete	
	with spindle, etc	
M225	38 Teeth Chain Wheel and Crank only	
M226	Crank Cotter	
M227	,, Nut, in	
M228	,, Washer, in	
M229	Spindle for chain wheel	
M230	,, for pedal	
M231	Wood Pedal	
M232	Washes for nedal spindle	
M233	Nut for spindle	
M234	Pag for ensing	
M235	United an Deschat siretted up	
M236	only	
M237	Housing	
M238	Divote (set of 6)	
	End Con	
M239	Cons	
M240	Cone	
M241	Lock Nut	
M242	Split Ring (small)	
M243	,, (large)	
M244	Spring	
M245	II Teeth Sprocket	
M246	5 in, Nut	
M247	5 in. Pin	
M248	Chain (½in, by ½in, by 44 links)	
M249	Buffer Clip	
M250	,, Rubber	
	GEAR HANDLE SET.	
M251	Operating Rod Set (assembled)	
M252	" Rod	
M253	" Lever	
M254	,, Rod Nut	
M255	Woodruff Voy	
M256	Spring	
M257	Clama	
M258	Passing	
M259	Child	
	5 in Can Nut	
M260	,, %in. Cap Nut	
M261	,, ,, in Washer	




TWO-SPEED GEAR PARTS.

Quote this No. and name of part when ordering.	Description.	Price.
-		
M271		
M272		
M273		
M274		
M275		(4)
M276		
M277		(()
M278	EMBOURNERS (1910) 1 (
M279		***
M280	Expanding Band and Centre (assembled)	***
M281	VIII - III DONNONII IVON NAME TOON NAME TOON NAME TO TOO NAME TO T	***
M282		***
M283	The second secon	***
M284		
M285		***
M286		
M287	Thrust Nut	
M288	38 Teeth Chain Wheel and Clutch Drum, rivette	d
	up	***
M289	38 Teeth Chain Wheel	***
M290	Clutch Drum (low gear)	***
M291	Rivets (set of 6)	***
M292	Clutch Drum (high gear)	***
M293	Thrust Bracket	***
M294	Eccentric	***
M295	,, Cup (large)	
M296	,, ,, (small)	***
M297	" Oil Retaining Washer	
M298	Adjusting Cone (large)	**
M299	Spindle Nut	444
M300	Nut for eccentric	222
M301	Lock Nut	444
M302	Oil Plug	
M303	Brass Cap	
M304	Ball Thrust	***
M305	Fibre Washer	
M306	Thrust Washer	***
M307	Spindle Lock Washer	***
M308	Thrust Bracket Screws (each)	***
M309	Actuating Peg	***
M310	Spring Roller	***
M311	Set Pin for thrust bracket	***
M312	Spindle Washer	***
M313	15 Teeth Operating Pinion	***
M314	Quadrant Locking Washer	***
M315	in. Balls (per dozen)	***
M316	Locking Washer Stud	***
M317	,, ,, Nut, lin	444
M318	,, Washer, in	***




FRAME, REAR STAND, REAR MUDGUARD, CARRIER, Etc.

uote this No. and name of part when ordering.	Description,	Price. £ s. d.
M331	Frame	
M332	Rear Stand	
M333	", Pin	
M334	" Bush	40
M335	" Nut	
M336	,, Washer	
M337	Rear Carrier	
M338	" " Pin, §in	
M339	,, ,, Nut, §in	
M340	" " Split Ring	
M341	,, ,, Hexagon Nut	
M342	Washer for tube and	
M343	Mudauard (fixed half)	
M344	(remerable half)	
M345	Stand Clip (accombled)	
M346	Look Nut	
M347	Din for enging	
M348	Spring	
M349	Cupped Washer	
M350	127 The Control of th	
M351	,, ,, Pin, iin	
	,, Nut, %in	
M352	,, ,, Washer, iiin	
M353	" Mudguard Strap	
M354	" " Clip	
M355	,, ,, Plate	
M356	,, ,, lin. Bolt (short)	
M357	" " " in. Bolt (long)	
M358	" " įin. Nut	
M359	,, ,, {in. Washer	
M360	,, ,, in. Pin (medium)	
M361	Seat Pillar	
M362	,, ,, Liner	
M363	" Lug Bolt	
M364	,, ,, Blind Nut, Ain	
M365	., ,, Washer, §in	
M366	" " Packing Washer	
M367	Footrest Tube	
M368	,, Bolt, §in	
M369	" Nut, šin	
M370	., Washer, in	



REAR WHEEL.

Quote this No. and name of part when ordering.	Description.	Price. £ s. d
M381	Rear Wheel, with Cush Drive set, minus tyre	
M382	Rear Wheel, with Cush Drive set, with 26in. by 21in.	
	Palmer tyre	
M383	Rear Wheel only, with brake drum fitted	
M384	" Hub, fitted with lubricator	
M385	" " lubricator only	
M386	Rim, 26in. by 21in	
M387	., Spokes (set of 40)	
M388	" Spoke Nipples (set of 40)	
M389	,, Washers (set of 40)	
M390	,, Brake Drum	
M391	,, Spokes (set of 20)	
M392	,, Nipples (set of 20)	
M393	,, ,, Washers (set of 20)	
M394	" Hub Lock Ring	
M395	" " Driving Sprocket	
M396	" Spindle, with cones and dust covers	
M397	only	
M398	with fixed and adjusting cones	
M399	with fixed cone only	
M400	Fixed Cone	
M401	Adjusting Cone	
M402	Ctud	
M403	Lin Nut	
M404	Spring Washer	
M405	Lock Nut	
M406	Pubber Blocks (each)	
M407	2 :- D-II D :	
M408	D 4 117 4 //	
M409	(
M410	Dall Dataines (mist tests)	
M411	(minus balls)	
M412		
M413	111 1 7 7	
M414	Chain Adinates Deam Balt	(4)
M415		
M416	,, ,, ,, Plate	
M417	Look Nut	
NI#17	" " Lock Nut	





SLIPPING CLUTCH PARTS.

Quote this No. and name of part when ordering.	Description.						Price, £ s. d.
M431	Slipping Clutch (as	sembl	ed)		444	300	
M432	16 Teeth Sprocket	***			3889	***	
M433	13 Teeth Sprocket	***	200	***	***	200	
M434	Large Washer	***	5355	****		***	
M435	Engine Centre		***	***			
M436	Small Washer			***		411	
M437	Lock Nut	444		4.4.4	***	43.5	
M438	Spring	444	+++	***	440	100	
M439	Pin for engine sha	ft		5000	***	17.5	

FOOTBRAKE PARTS.

Foot Brake Lever	Set (as	semble	ed)	***	***	
,, Shoe	Set (ass	emble	d)	***	***	
,, Lever	only	***	***	***		
lin. Nut	222	***	***		***	
äin. Washer	111	***			***	
Stud for shoe	***	***	***	224	200	
Shoe only	***		***		***	
" Fibre	***	***	4.4.4	666	300.0	
,, Screw	***				***	
3 in. Nut						
Rod	***	***	***		***	
Shoe Connection	***		44.6			
Lever Connection	***			0000	***	
12 22	Screw					
åin. Nut					***	
Spring	***	***	***	+3.4	440	
Lever Stud	3688		999	***	2000	
§in. Nut				9000		
	# Shoe # Lever # in. Nut # in. Washer # Stud for shoe # Shoe only # Fibre # Screw # Screw # In. Nut Rod Shoe Connection Lever Connection # In. Nut # I	,, Shoe Set (ass ,, Lever only in. Nut Stud for shoe Shoe only ,, Fibre ,, Screw , Screw Shoe Connection Lever Connection Screw , Screw	,, Shoe Set (assembles, Lever only §in. Nut §in. Washer Stud for shoe Shoe only ,, Fibre ,, Screw †in. Nut Rod Shoe Connection Lever Connection ,, Screw \$in. Nut Lever Stud Lever Stud	#in. Nut	# Shoe Set (assembled) # Lever only # in. Nut # in. Washer Stud for shoe Shoe only # Fibre # Screw # in. Nut Rod Shoe Connection Lever Connection # Screw # in. Nut Spring Lever Stud Lever Stud	# Shoe Set (assembled) # Lever only # in. Nut # in. Washer Stud for shoe Shoe only # Fibre # Screw # Screw Shoe Connection Lever Connection # Screw # in. Nut Spring Lever Stud Lever Stud Lever Stud # Shoe Connection # Spring # Screw # Spring # Lever Stud # Spring # Stud # Spring # Stud # Stud # Spring # Spring






FRONT BRAKE PARTS.

Quote this No. and name of part when ordering.		Price.	
M471	Front Brake	Shoe and Fibre (assembled)	
M472	,,	,, only	
M473	,,	,, Plate	
M474	,,,	" Fibre	
M475	39	" " Screw	
M476	,,	" Screw	
M477	- 11	in. Spring Washer	
M478	,,	Stirrup and Pin (assembled)	
M479	",	,, only	
M480	10	,, Pin	
M481	**	,, ,, Lock Nut	
M482	,,	,, Spring Box	
M483	31	Spring only	

PETROL TANK AND FITTINGS.


M484	Petrol Tank, complete with drain tap, needle valve,
	filter and filler cap
M485	Petrol Tank only, enamelled and lined
M486	,, Filter only
M487	,, Cap only
M488	" Needle Valve
M489	" Connection
M490	" Leather Washer
M491	., Spring
M492	,, Bearing
M493	., Drain Tap
M494	" Inflator Peg
M495	,, Felt Washer
M496	", ³ / ₁₆ in, Pin
M497	Cable Clip (single)
M498	,, (double), I lin,
M499	Petrol Tank 36in. Spring Washer
M500	Petrol and Oil Cans (each)
M501	,, ,, Clip
M502	Petrol Pipe
M503	Cork Float



THE 3 H.P. ROYAL ENFIELD

FRONT STAND, FRONT WHEEL, Etc.


Quote this No. and name of part when ordering.	Description.	Price. £ s. d.
M511	Front Stand	
M512	,, Pin	
M513	., Bush	
M514	åin. Nut	
M515	Front Wheel, with spindle, etc., minus tyre	
M516	,, with spindle, etc., and 26in. by 21in.	
	Palmer tyre	
M517	,, only	
M518	Front Hub, fitted with lubricator	
M519	Lubricator only	
M520	Ball Retainer (with balls)	
M521	,, (minus balls)	
M522	Front Rim	
M523	" Spokes (set of 40)	
M524	, Nipples (set of 40)	
M525	,, Washers (set of 40)	
M526	" Hub Spindle, with cones and dust covers	
M527	,, only	
M528	,, with fixed and adjusting cones	
M529	,, with fixed cone only	
M530	,, Dust Cover	
M531	,, Adjusting Cone	
M532	" Hub Fixed Cone	
M533	,, ,, Spindle Nut	
M534	,, ,, ,, Washer	



See opposite page for description and prices.


FRONT FORK, FRONT MUDGUARD, Etc.

Quote this No. and name of part when ordering.	Description.	Price. £ s. d.
		PARTITION OF THE PARTIT
M541	Front Fork	
M542	" Steering Stem	
M543	" Spring Connection Lug	•
M544	,, ,,	
M545	" Ball Head Clip (top)	
M546	,, (bottom)	
M547	,, Pin	
M548	,, Cupped Washer	
M549	,, Clip Lever	
- M550	,, Crown Lever	
M551	" Clip Swivel Pin	
M552	,, Crown Pin	
M553	" Swivel Pin Nut, fin	-
M554	" Spring Nut, iiin	
M555	,, Ball Head Lock Nut	-
M556	,, jein. Washer	
M557	,, Oil Hole Cover, §in	
M558	" " įin	
M559	", Ball Head Disc	
M560	", " sin. Ball Bearings (per dozen)	
M561	Front Mudguard, fitted with Stand Clip and	
	Number Plate Clip	
M562	,, ,, only	
M563	" Number Plate Clip	
M564	" Stand Clip	
M565		
M566	" Mudguard Fibre Washer	
M567	" Support Strap	Œ.
M568	,, ,, 3in. Pin,	9
M569	,, ,, 3in. Nut	



HANDLEBAR AND CONTROLS.

Quote this No. and name of part when ordering.		Description.	Price. £ s. d.
M581	Handlebar	fitted up with all levers, controls, etc	
M582	,,	fitted up with control top levers and	
	grips		
M583	,,,	only, minus grips	
M584	,,,	control air lever	
M585		throttle lever	
M586	",	Ignition Lever	
M587	"	Control Top Washer	
M588	31	,, Screw	
M589		., Thick Washer	
M590	11	Spring	
M591	**	Grips (per pair)	
M592	23	Inverted Lever	
M593	**	Pocket	
	33	Pivot Screw (as M588)	
M594	.,,	Nut	
M595	39.	D-II	
M596	335	7 2 1 1 6	
M597	11	Look Mut Coron	
M598	15 (**		
M599	335	Cable for Front Brake	
M600	23	,, for exhaust	
M601	11	,, for magneto	
M602	23	" for air lever	
M603	11	" for throttle lever	
M604	33	" Casing for front brake	
M605	2.2	", ,, for exhaust (long)	
M606	,,	,, for exhaust (medium)	
M607	,,	", for exhaust (short)	
M608		" for magneto	
M609	**	,, ,, for air lever	
M610	.,	", ", for throttle lever	
M611	22	,, Nipple (small), lin	
M612		,, ,, for inverted wires	
M613		,, ,, for control levers	
M614	17	" Cover Nipple	
M615		,, Nipple	
M616	37	Magneto Spring	
M617		Cable Exhaust Spring	
M618		" Front Brake Adjusting Screw	
M619	"	,, ,, Ferrule	
M620	- "	Adjuster Nut	
M621	",	Screw	
M622	- 11	a in Nut	
M623	**	Rall for valve lifter	
M624	"	Ston	
	2.7	Solit Cotter	
M625	2.7	" ,, Split Cotter	




THE 3 H.P. ROYAL ENFIELD

OIL TANK PARTS.

Quote this No and name of part when ordering.	Description	on.				Price. ≰ s. d
M631	Oil Tank Set (assembled)	***	***	344		
M632	Tank End (top)				***	
M633	,, (bottom)	***			***	
M634	Filler Cap					
M635	Drain Plug		***		***	
M636	Flow Pipe	***	***			
M637	Screw for clip	186	4.49	***	***	
M638	Washer for drain plug	***		***		
M639	Glass Barrel	1.00			***	
M640	Inside Leather Washer		***	***		
M641	Stud	20.00	8.8910		***	
M642	,, lin. Nut					
M643	" lin. Washer					
M644	Oil Pipe Union	+++				
M645	Needle Valve complete	***	111			
M646	Leather Washer					
M647	Fibre Washer, in. diamet					
M648	,, Žin, diamet			***	444	
M649 M650 M651 M652 M653 M654 M655 M656 M657	Gear Cover complete (top half) (bottom half) (hain Cover for driving complete than the cover for driving cover for driving cover for the cover fo	hain M64			***	
W1037	CHAIN				***	
M658	High Gear Chain (1 in. by				***	
M659	Low ,, (lin. by				200	
21 K O O F	Driving Chain (lin. by li	n. by	IZI li	nks)	***	
M660						
	Half Link for isin, chair	1	0.00	111	5.5.7	
M660	Half Link for is in. chair for in. chair	***	***			
M660 M661	Half Link for 16 in. chair	in. Ch	ain			


OIL PIPES & SPARKING PLUG ATTACHMENTS.

M665	Oil Pipe (long)	****	Corn.	100	3000	
M666	,, (short)	***		* ***	111	
M667	,, for front				***	
M668	Sparking Plug, "F	orward		2.00	111	***
M669	., Wa	asher (a	sbest	os)		***
M670	Rubber Terminal	Cover		8.0.0		
M671	,,	Nipple		***	100	
M672		End		444	1917	200
				Table 1	-adul	-




SILENCER PARTS, EXHAUST PIPES, FOOTBOARDS AND FITTINGS.

ouote this No and name of part when ordering.	Description.	Price. £ s. d
M681	Silencer Set (assembled complete)	
M682	Parrel	
M683	Pear End Clin	
M684	End (front)	
M685	(rear)	
M686	in Pin	
M687	Stud	
M688	Branch Clin	
M689	Long Silencer Pipe (rear)	
M690	Citation Nin Mile	
M691	in Washes	
M692	the Die	
	Tim Most	
M693	77 10 011	
M694		
M695	" Screw for clip	
M696	", lin. No. 3 Pin	
M697	" Jin. Spring Washer	
M698	" Exhaust Pipe (front)	
M699	" (rear)	
M700	Footboard (assembled complete)	
M701	,, only	
M702	,, assembled, but less tube clips	
M703	,, Aluminium Beading, straight or curved	
T discounts	(each)	
M704	" Linoleum	
M705	,, 36 in Bolt	
M706	" Wood Screws (per dozen)	
M707	,, 3in. Nut	
M708	,, Brass Nails (per dozen)	
M709	,, Bracket	
M710	" Spring	
M711	,, Tube (front)	
M712	,, ,, 3in. Bolt	
M713	., ,, §in. Nut	
M714	,, ,, 3in. Washer	
M715	,, ,, Clip	
M716	,, ,, ,, Bolt	
M717	,, ,, Washer (small)	
. M718	,, ,, ,, (large)	
M719	,, ,, 36 in. Nut	
M720	,, ,, Pin	



CARBURETTER PARTS.

Quote this No. and name of part when ordering.	Description,		Price. £ s. d.
M731	Carburetter complete, minus cables and contr	rols	
M732	Float Chamber Cover complete		
M733	, only		
M734	Mushroom Cap	***	
M735	Float		
M736	Mushroom Body (perforated)		
M737	Throttle Valve		
M738	Air Valve		
M739	Mixing Chamber only		
M740	Outlet Clip		
M741	Jet Holder		
M742	Air Gauze		
M743	Split Pin		
M744	Mixing Chamber Screwed Cap	***	
M745	" Тор		
M746	Adjuster		
M747	Tickler		
M748	Valve Spring	***	
M749	Needle Valve and Collar	***	
M750	Tickler Spring	300	
M751	Petrol Gauze		
M752	Jet		
M753	Outlet Clip Screw		
M754	Tickler Nut		




NUMBER PLATES, Etc.

Quote this No- and name of part when ordering.			Description	on,				Price. £ s. d.
M761	Rear Nur	nber Plat	te					
M762	,,	11	3 in.	Pin				
M763	,,,	,,	3 in.	Nut	***	***	200	
M764	Front Nu	mber Pla	ite		(4.4.6)	1000	300	
M765	,,	,,	Pin			***		
M766	33	,,	Nut,	lin.	4.4.4			

TOOLBAGS, TOOLS AND ACCESSORIES.


M767	Toolbags, with Clips	per pair),	but n	ninus '	Tool
	Rolls		***	***	***
M768	Tool Roll, with strap	(each)	***		***
M769	Toolbag Clip		111	***	***
M770	,, Pin, 3in. (a	s M762)	+++	***	344
M771	,, Nut, 3in. (a	s M763)		2230	***
M772	" Spring Wash	er, 3in.	222		100
M773	Adjustable Spanner				***
M774	Thin Eccentric Spann	er	***	***	
M775	Cone Spanner		444	210	
M776	Large Engine Spanner		***	***	
M777	Medium Spanner			0.000	***
M778	Small Spanner			***	
M779	Box Spanner				3000
M780	Combination Spanner	111	100		***
M781	Magneto Spanner		933		
M782	Cone Spanner		1444	***	***
M783	Screwdriver			***	
M784	File				
M785	Tyre Lever			***	***
M786	Oil Injector			***	444
M787	Pliers		***		
M788	Oil Can		111		
M789	Saddle			***	
M790	Inflator			***	***
M791	Tool Rolls, complete	with Tool	s, as s	shown	944



MAGNETO PARTS.

Quote this No- and name of part when ordering.	Description.				
TB1	Distributor		-		
TB2	Screw for distributor				
TB3	Carbon and Spring for pick-up				
TB7	Contact Breaker complete		222	- 444	
TB8	Taper Screws for same, each		1111		
TB9	Platinum Screw (short)	***	***	444	
TB10	,, (long)	***	***	***	
TB11	Fibre Bush under Platinum Poir	t Bloc	k		
TB12	Carbon and Spring at back of Co	ntact I	Breake	г	
TB13			***	300	
TB14	Fibre Bush for fastening Platinu	m Poi	nt Blo	ck	
TB15	,, for Block fastened b	y TB3		***	
TB16	Earth Carbon and Holder				
TB17	Slip Ring		***		
TB18	Spanner	***	444	100	
TB19	Cover of Contact Breaker (Vulc	anite)	10.0	600	
+ -	,, ,, (Meta	1)	33.5	4.4.0	
TB20	Pick-up, complete with carbon	***	***		
TB21	Carbon and Spring for same	***			
TB22	Pointed Screw for same	101	111		
TB23	Magneto complete		***	881	

CASE OF SPARE PARTS, AS ILLUSTRATED OPPOSITE, FOR THOMPSON-BENNETT TWIN-CYLINDER MAGNETO,





See opposite page for description and prices.

MOTOR CYCLE GUARANTEE.

WE give the following guarantee with our motor cycles instead of the guarantee implied by statute, or otherwise, as to the quality or fitness of such machines for the purpose of motor cycling; any such implied guarantee being in all cases excluded. In the case of machines which have been used for "hiring out" purposes, or from which our trade mark or manufacturing number has been removed, no guarantee of any kind is given, or is to be implied.

WE GUARANTEE, subject to the conditions mentioned below, that all precautions which are usual and reasonable have been taken by us to secure excellence of materials and workmanship, but this guarantee is to extend and be in force for three months only from the date of purchase, and damages for which we make ourselves responsible under this guarantee are limited to the replacement of any part which may have proved defective, but not to the cost of any work involved in effecting such replacement. We undertake, subject to the conditions mentioned below, to make good at any time within three months any defects in these respects. As motor cycles are easily liable to derangement by neglect or misuse, this guarantee does not apply to defects caused by wear and tear, misuse or neglect.

The term "misuse" shall include amongst others the following acts:-

- The attaching of a side-car to the motor cycle in such a manner as to cause damage, or calculated to render the latter unsafe when ridden.
- 2 The use of a motor cycle, or of a motor cycle and side-car combined, when carrying more persons, or a greater weight than that for which the machine was designed by the manufacturers.

Any motor cycle sent to us to be plated, enamelled or repaired, whether the repairs are required for the purpose of making good the defect before referred to or otherwise, will be repaired upon the following conditions:—i.e., we guarantee that all precautions which are usual and reasonable have been taken by us to secure excellence of material and workmanship, such guarantee to extend and be in force for three months only from the time such work shall have been executed, and this guarantee is in lieu and in exclusion of any common law or statute warranty, and the damages recoverable are limited to the cost of any further work which may be necessary to amend and make good the work found to be defective.

CONDITIONS OF GUARANTEE.

If a defective part should be found in our motor cycles or in any part replaced, it must be sent to us carriage paid, and accompanied by an intimation from the sender that he desires to have it repaired free of charge under our guarantee, and he must also furnish us at the same time with the number of the machine, the name of the agent from whom he purchased, and the date of the purchase, or the date when the alleged defective part was replaced, as the case may be.

Failing compliance with the above, no notice will be taken of anything which may arrive, but such articles will lie here at the risk of the senders, and this guarantee, and any implied guarantee, shall not be enforceable.

We guarantee only those machines which are bought either direct from us, or from one of our duly appointed agents, and under no other conditions.

The 3 h.p. Royal Enfield is sold and guaranteed subject to the further condition that we cannot accept responsibility if it is used with a side-car, of whatsoever make or type, attached.

We do not guarantee the specialities of other firms, such as Tyres, Saddles, Chains, Lamps, etc. or of any component part supplied with our motor cycles, or otherwise.

THE TERM "AGENT" is used in a complimentary sense only, and those firms whom we style our "agents" are not authorised to advertise, incur any debts, or transact any business whatsoever on our account, other than the sale of goods which they may purchase from us; nor are they allowed to give any warranty or make any representation on our behalf other than those contained in the above Guarantoe.

